

Sachwortverzeichnis

| | | | |
|---|---------------|--|----------|
| "69", JWH-018 content | 300 | amplifier | 200 |
| | | AM-Reihe | 178 |
| A | | 1,5-anhydroglucitol, ante mortem hyperglycaemia | 363 |
| AAS | 344 | 1,5-anhydroglucitol, reference values | 366 |
| abrin | 276 | | |
| abstinence test | 357 | | |
| abuse | 419 | antidepressants | 285 |
| 6-acetylmorphine, blood and hair | 237 | Antikörper gegen Peth | 431 |
| adulterants | 200 | 5-APB | 171 |
| 2-AI | 177 | 6-APB | 171 |
| Alanin-Aminotransferase, Alkohol | 422 | aporphine | 278 |
| ALAT, Alkohol | 422 | Arzneimittelbegriff | 178 |
| alcohol | 287, 419, 432 | Arzneimittelgesetz | 176 |
| alcohol abuse | 287 | ASAT, Alkohol | 423 |
| alcohol and phenazepam | 305 | Asialotransferrin, Alkohol | 427 |
| alkaloids | 320 | Aspartat-Aminotransferase, Alkohol | 423 |
| Alkohol-Interlocks | 432 | ASPEC XL | 281 |
| Alkoholkonsum, Biomarker | 422 | AST, Alkohol | 423 |
| Alkoholmissbrauch, Statistik | 420 | atomic absorption spectrometry | 344 |
| alprazolam | 236, 268 | ATR-IR-Spektren, Fluormethcathinon | 198 |
| alprazolam, blood and hair | 236 | | |
| alprazolam, blood spot | 271 | Autan® | 255 |
| ALT, Alkohol | 422 | automated quantification | 256 |
| Alum | 344 | automation, | |
| aluminium | 344 | solid phase extraction | 281 |
| aluminium, intoxication | 344 | autopsy blood, | |
| aluminium, post mortem | 344 | methyllecgonine/cocaine ratio | 370 |
| AM-2201 | 173 | | |
| AM-694 | 177 | B | |
| 7-aminoflunitrazepam, systematic toxicological screening | 227 | Badesalze, legal highs | 177 |
| 5-(2-aminopropyl)benzofuran | 171 | Begleitstoffe | 424 |
| 6-(2-aminopropyl)benzofuran | 171 | benzodiazepines, phenazepam | 302 |
| amiodarone, systematic toxicological screening | 226 | benzodiazepines, plasma | 285 |
| amitriptyline, blood and hair | 236 | benzoylecggonine, blood and hair | 237 |
| amphetamine | 200 | benzoylecggonine, brain extraction | 284 |
| amphetamine, blood and hair | 237 | 1-benzylpiperazine | 172 |
| amphetamine, blood spot | 271 | benzyl-piperazines | 169 |
| amphetamine, brain extraction | 284 | Berlin University 1895 | 396 |
| amphetamine, seized mixture | 306 | Betäubungsmittelgesetz | 178, 220 |
| amphetamine-type drugs | 268 | Biomarker Alkoholkonsum | 420 |
| | | bisoprolol, systematic toxicological screening | 227 |

| | | | |
|--|----------|---|---------------|
| Bland-Altman plot | 272 | chlorprothixen, blood and hair | 237 |
| Blaze, JWH-250 content | 300 | Cholesterinsenker, Fluvastatin | 353 |
| blood alcohol | 288 | CI-GC-MS/MS | 186 |
| blood/hair ratio | 230 | citalopram and phenazepam | 305 |
| Bloom, JWH-250 content | 300 | citalopram, blood and hair | 236 |
| Bombey Blue, KWH-073 content | 300 | citalopram, femoral blood | 266 |
| bone, aluminium | 344 | Clear Machine, creatinine adulterant | 379 |
| Bonzai Summer Boost, JWH-250 content | 300 | clinical toxicology | 324 |
| brain tissue, sample pretreatment | 337 | clobazam, femoral blood | 266 |
| brain, aluminium | 345 | clonazepam, blood and hair | 236 |
| brain, drug analysis | 337 | clonazepam, gastric content | 266 |
| brain, drugs | 340 | cloned donor enzyme immunoassay | 332 |
| Bromketone, Umsetzung zu Cathinonen | 191 | Clover Summer Breeze, JWH-073 content | 300 |
| BtmG | 178, 220 | clozapine, blood and hair | 236 |
| buprenorphine, children, hair | 390 | cocaine | 200, 367 |
| buprenorphine, hair | 383 | cocaine hydrolysis | 367 |
| buprenorphine, hair versus dosis | 386 | cocaine, adulterated | 200 |
| butylone | 177 | cocaine, blood and hair | 236 |
| BZP | 172, 177 | cocaine, brain extraction | 284 |
| C | | cocaine, children, hair | 390 |
| 2C-C | 177 | cocaine, smoke analysis | 200 |
| 2C-D | 169 | cocaine/methylecgonine ratio, | |
| 2C-E | 170, 177 | stability | 367 |
| 2C-P | 170 | codeine, blood and hair | 236 |
| caffeine and amphetamine mixture | 315 | codeine, brain extraction | 284 |
| caffeine, adulterant | 206 | codeine, LC-QTOF-MS | 235 |
| cannabinoids | 219 | concentration ratios | 383 |
| cannabis consumption marker | 316 | concentration/dose relationship | 383 |
| Captan | 262 | CP 47,497, MRM | 299 |
| carbamazepine, blood and hair | 236 | CP-47,497 (-C8-isomer) | 177, 219, 299 |
| carbamazepine, systematic toxicological screening | 226 | Crack | 203 |
| carbohydrate-deficient transferrin | 419 | creatine, urine, drug screening | 378 |
| carbohydrate-deficient transferrin, Alkohol | 427 | creatine supplementation | 378 |
| Castor seeds | 276 | creatinine and urea correlation | 380 |
| cathinone | 211 | creatinine, urine, concentration histogram | 380 |
| cation-exchange liquid chromatography | 320 | drug screening | 378 |
| CDT, Alkohol | 427 | criminal prosecution | 176 |
| CEDIA | 332 | CTHC | 332 |
| child maltreatment | 389 | cumulative plot, LC-QTOF-MS | 234 |
| children, hair, drugs | 390 | cut-off level | 357 |
| | | CYP, Fentanyl | 215 |
| | | cytochrome P450 enzymes | 215 |

D

| | |
|---|---------------|
| database LC-TOF-QUANT | 232 |
| dead volume | 240 |
| designer drug | 167, 176, 293 |
| desmethyldoxepine, blood and hair | 237 |
| desoxypipradrol | 177 |
| diabetes | 363 |
| diazepam and phenazepam | 305 |
| diazepam and verapamil | 350 |
| diazepam, blood and hair | 236 |
| diazepam, brain extraction | 284 |
| diazepam, children, hair | 390 |
| diazepam, systematic toxicological screening | 226 |
| diltiazem, adulterant | 207 |
| dimethocaine | 177 |
| 2,5-dimethoxy-4-ethyl- phenethylamine | 170 |
| 2,5-dimethoxy-4-methyl- phenethylamine | 170 |
| 2,5-dimethoxy-4-propyl- phenethylamine | 170 |
| DIN32645, synthetische Cannabinoide | 222 |
| diphenhydramine | 256 |
| DIPT | 177 |
| Disialotransferrin, Alkohol | 427 |
| disposal pipette extraction | 340 |
| DMAA | 177 |
| DOI | 177 |
| domperidone | 172 |
| dot printer | 332 |
| doxepine, blood and hair | 237 |
| doxepine, brain extraction | 284 |
| doxylamine | 256 |
| DPIA and amphetamine mixture | 315 |
| DPX | 340 |
| Dream, JWH-018 content | 300 |
| dried blood spots | 268 |
| driving under influence | 293 |
| driving, EtG | 287, 361 |
| driving, phenazepam | 302 |
| Drogenmissbrauch, Statistik | 420 |
| Drug Law | 167 |

| | |
|---|-----|
| drugs of abuse, brain | 340 |
| drugs of abuse, cathinone | 211 |
| drugs of abuse, LC-MS ⁿ screening | 229 |

| | |
|----------------------------------|-----|
| drugs of abuse, Swiss Guidelines | 391 |
| Drugwipe2, lidocaine detection | 337 |

| | |
|------|----------|
| DUID | 293, 302 |
|------|----------|

E

| | |
|--|---------------|
| EDDP, blood and hair | 237 |
| EDDP, children, hair | 390 |
| Ehrenmitgliedschaft, Laudatio | 409 |
| EI-GC-MS-Spektren, Flourmethcathinone | 192 |
| electron microscopy, marijuana adulterant | 208 |
| EMAS | 320 |
| Emil Fischer | 396 |
| Energy-Drink-Flasche | 244 |
| Estimate Concentration, LC-QTOF-MS | 234 |
| EtG, cut-off, hair | 359 |
| EtG, hair content histogram | 358 |
| EtG, hair, driving ability | 361 |
| EtG, immunoassay | 361 |
| EtG, Kurzzeit-Marker | 426 |
| EtG, LC-MS/MS | 361 |
| EtG, Nachweisbarkeitsdauer | 426 |
| EtG, urine concentration histogram | 358 |
| ethanol | 287 |
| Ethanol, Kurzzeit-Marker | 424 |
| ethcathinone | 177 |
| ethyl glucuronide | 287, 357, 361 |
| ethyl sulphate | 287, 426 |
| EtS, Kurzzeit-Marker | 426 |
| Extra Creatine Bag, creatine adulterant | 379 |
| Extreme | 179 |

F

| | |
|---|-----|
| FAEE | 431 |
| femoral blood | 266 |
| femur, aluminium | 345 |
| fentanyl, systematic toxicological screening | 227 |

| | | | |
|---|---------------|---|---------------|
| Fettsäureethylester | 431 | γ -Glutamyltransferase, Alkohol | 424 |
| field test | 337 | GPT, Alkohol | 422 |
| flephedrone | 171, 177, 186 | green chemistry | 320 |
| flephedrone, legal designer drugs | 177 | γ -GT, Alkohol | 424 |
| flephedrone, Regiosomer | 186 | GTFCh Guidelines | 392 |
| flunitrazepam, blood and hair | 236 | Guidelines GTFCh | 392 |
| flunitrazepam, children, hair | 390 | Guidelines Swiss | 391 |
| 4-fluoramfetamine | 171, 177, 203 | | |
| fluoramphetamine, adulterant | 206 | | |
| fluorcathinone | 186 | hair, buprenorphine | 383 |
| fluoride | 367 | hair, EtG | 357 |
| 3-fluormethcathinone | 177, 186, 211 | hair, Spice | 219 |
| 4-fluormethcathinone | 171, 177, 186 | hair, systematic toxicological | |
| 4-fluoroamphetamine | 177, 203 | analysis | 230 |
| Fluvastatin, Intoxikation, klinisch-chemische Parameter | 355 | hair/blood ratio | 230 |
| 3-FMC | 177, 186, 211 | hallucinogenic fungi | 320 |
| forensic toxicology | 392 | hallucinogenic mushroom | 320 |
| Forrest Humus, JWH-073 content | 300 | haloperidol, systematic | |
| Friedrich Althoff | 396 | toxicological screening | 226 |
| fungal alkaloids | 323 | Hartgelatinekapseln, legal highs | 177 |
| fungicide | 262 | heroin, children, hair | 390 |
| | | high-performance liquid chromatography, opium alkaloids | 321 |
| | | HPLC, opium alkaloids | 321 |
| G | | HPLC-DAD | 256, 263, 353 |
| gastric content | 265 | HPLC-DAD (TOX.I.S.) | 256 |
| GBL | 177 | hydrocodone, blood and hair | 236 |
| GC-MS und LC-MS ⁿ | 278 | 9-hydroxyrisperidone, blood spot | 271 |
| GC-MS, 4-methylamphetamine | 306 | hydroxyzine, adulterant | 207 |
| GC-MS, captan | 262 | hyperglycaemia, ante mortem | 363 |
| GC-MS, cathinone | 211 | | |
| GC-MS, künstl. Aminosäurederivat | 244 | I | |
| GC-MS, MDPV | 293 | 5-IAI | 171 |
| general unknown screening | 240 | ibuprofen, brain extraction | 284 |
| generic | 167 | ibuprofen, systematic | |
| Genetsiche Transferrin-Varianten | 428 | toxicological screening | 227 |
| Genie, JWH-018 content | 300 | icaridine | 244 |
| Georg Dragendorff | 396 | Ice-Tee | 244 |
| geranamine | 177 | Ikarus (golden pack), | |
| GGT, Alkohol | 424 | JWH-073 content | 300 |
| glaucine | 278 | Ikarus (silver pack), | |
| glucose | 363 | JWH-073 content | 300 |
| Glutamat-Oxalazetat- | | immunoassay, CEDIA, CTHC | 332 |
| Transaminase, Alkohol | 423 | immunoassay, ELISA | 263 |
| Glutamat-Pyruvat-Transaminase, | | immunoassay, field test | 337 |
| Alkohol | 422 | immunoassay, ricin, Castor seeds | 276 |

| | | | |
|--|---------------|-------------------------------------|----------|
| Infrarotspektrometrie, fluorcathinone | 188 | Kräutermischungen, legal highs | 177 |
| Insektenrepellent | 255 | Kräutermischungen, Spice | 220 |
| Instrumentally Read Gold-labeled Flow Lateral Immunoassay | 332 | Kurzzeit-Marker | 421 |
| intoxication, doxylamine, diphenhydramine | 256 | L | |
| intoxication, fluvastatin | 353 | lacosamide, femoral blood | 266 |
| 5-iodo-2-aminoindane | 171 | lamotrigine, femoral blood | 266 |
| ion trap | 229 | Langzeit-Marker | 421 |
| IRGLFIA | 332 | larocaine | 177 |
| irrigation | 344 | lateral flow assay | 276 |
| isocathinone | 191 | lateral-flow-immunoassay | 332 |
| isofentanyl | 215 | Laudatio, Ehrenmitgliedschaft | 409 |
| | | Laudatio, STAS-Preisträger 2011 | 412 |
| | | Lava red | 181 |
| | | LC-ESI-MS/MS | 287 |
| J | | LC-HR-MS | 211 |
| Jamaican Gold | 179 | LC-Linear Ion Trap-MS | 215 |
| Jamaican Spirit, JWH-250 content | 300 | LC-MS, cathinone | 211 |
| Jan Rugh, JWH-018 content | 300 | LC-MS, glaucine, aporphine | 278 |
| JWH | 177, 219, 297 | LC-MS, MDPV | 293 |
| JWH-015 | 177 | LC-MS, phenazepam | 302 |
| JWH-018 | 177, 219 | LC-MS, Spice | 219 |
| JWH-018, MRM | 299 | LC-MS/MS, 1,5-anhydroglucitol | 363 |
| JWH-073 | 177, 219 | LC-MS/MS, buprenorphine, hair | 385 |
| JWH-073, MRM | 299 | LC-MS/MS, captan | 263 |
| JWH-081 | 177, 219 | LC-MS/MS, EtG and EtS | 357 |
| JWH-083, MRM | 299 | LC-MS/MS, EtG, driving ability | 361 |
| JWH-122 | 177, 219 | LC-MS/MS, hyperglycaemia | 363 |
| JWH-122, MRM | 299 | LC-MS/MS, multi target screening | 240 |
| JWH-200 | 177 | LC-MS/MS, Spice | 221, 297 |
| JWH-210 | 177 | LC-MS ⁿ , | |
| JWH-210, MRM | 299 | drugs in heparine plasma | 324 |
| JWH-250 | 177, 219 | LC-MS ⁿ , fentanyl | 217 |
| JWH-250, MRM | 299 | LC-MS ⁿ , | |
| JWH-Reihe | 178 | metabolite based screening | 229 |
| | | LC-QTOF-MS | 230 |
| K | | legal highs | 167, 176 |
| ketamine, blood and hair | 236 | lethal, verapamil | 347 |
| ketamine, systematic toxicological screening | 227 | levetiracetam, femoral blood | 266 |
| khat alkaloids | 320 | LFA | 276 |
| kidney, aluminium | 345 | library | 229, 240 |
| King B, JWH-073 content | 300 | lidocaine, adulterant | 207 |
| Kohlenhydrat-defizientes Transferrin, Alkohol | 427 | lidocaine, blood and hair | 237 |
| | | lidocaine, Drugwipe2 | 337 |
| | | lidocaine, Minilab | 337 |

| | | | |
|--|---------------|---|----------|
| liver enzymes | 419 | methylamphetamine and amphetamine mixture | 315 |
| liver, aluminium | 345 | | |
| lorazepam, blood and hair | 236 | methylecgonine/cocaine ratio, | |
| lung, aluminium | 345 | blood, stability | 367 |
| | | 5,6-methylenedioxy-2- | |
| | | aminoindane | 171 |
| M | | | |
| Marijuana, adulterated | 200 | 6,7-methylenedioxy-2- | |
| mass spectral library | 224, 329 | aminotetralin | 171 |
| matrix effects, | | 3,4-methylenedioxy-N- | |
| heparin plasma, urine, serum | 327 | methylcathinone | 171 |
| MCP | 172 | methylenedioxypyrovalerone | 293 |
| m-CPP | 172, 177 | 3-methylfentanyl | 215 |
| MCV, Alkohol | 424 | 5-methyl-MDA | 171 |
| MDA, blood and hair | 236 | 5-methyl-3,4-methylenedioxy- | |
| MDA, blood spot | 271 | amphetamine | 171 |
| MDAI | 171, 177 | methylone | 171, 177 |
| MDAT | 170 | metoclopramide | 172 |
| MDEA, blood and hair | 236 | metoprolol, blood and hair | 236 |
| MDMA, blood and hair | 236 | metoprolol, brain extraction | 284 |
| MDMA, blood spot | 271 | midazolam, blood and hair | 237 |
| MDMA, systematic toxicological screening | 226 | Mind blowing | 179 |
| MDPV | 177, 211, 293 | Minilab, lidocaine detection | 337 |
| MeBZP | 177 | MITSEEZ | 180 |
| 4-MEC | 177 | Mittleres Erythrozyten Volumne, | |
| Medicinal Products Act | 176 | Alkohol | 424 |
| MeOPP | 177 | morphine, blood and hair | 237 |
| 5-MeO-DALT | 177 | morphine, brain extraction | 284 |
| mephedrone | 171, 177, 211 | MPS | 281 |
| metabolism, fentanyl | 215 | MSforID | 329 |
| metabolism, glaucine, aporphine | 278 | MTS | 240 |
| metabolite, LC-MS ⁿ screening | 229 | Multi-PurposeSampler | 281 |
| meta-chlorophenylpiperazine | 172 | Multi-Target Screening | 240 |
| metamfepramone | 177 | mushroom | 320 |
| metformine, systematic toxicological screening | 227 | N | |
| methadone, blood and hair | 236 | naphyrone | 177 |
| methadone, brain extraction | 284 | nitrazepam, blood and hair | 236 |
| methadone, children, hair | 390 | NMR, 4-methylamphetamine | 306 |
| methadone, systematic toxicological screening | 227 | NMR, künstl. Aminosäurederivat | 244 |
| 4-methylmethcathinone | 171 | norbuprenorphine, hair | 383 |
| methedrone | 211, 214 | nordiazepam, blood and hair | 237 |
| methiopropamine | 171 | O | |
| 4-methylamphetamine | 306 | O-desmethyltramadol | 177 |
| | | 11-OH-THC, Stabilität | 373 |

| | |
|----------------------------------|--------------------------------|
| online extraction | 324 |
| online-SPE | 224 |
| opiate-addiction, | |
| child maltreatment | |
| opipramol and verapamil | 389 |
| opium alkaloids, HPLC | 347 |
| oxazepam, blood and hair | 322 |
| oxycodone, blood and hair | 236 |
| P | R |
| P.I.A.-print | 323 |
| <i>Panaeolus cyanescens</i> | 323 |
| Paracetamol, systematic | |
| toxicological screening | |
| Partypilz | 226 |
| PEth | 177 |
| pethidine, blood and hair | 430 |
| p-FBT | 236 |
| Pflanzendünger, legal highs | 177 |
| p-FPP | 177 |
| pharmacokinetic modelling, | |
| verapamil | |
| Pharmakamissbrauch, Statistik | 349 |
| phenacetin, adulterant | 420 |
| phenazepam | 207 |
| phencyclidine, blood and hair | 177, 302 |
| phenethylamines | 236 |
| phenibut | 169 |
| phenobarbitone, brain extraction | 177 |
| phenyl-piperazines | 284 |
| Phosphatidylethanol | 169 |
| plasma, | 430 |
| doxylamine, diphenhydramine | |
| plasma, solid phase extraction | 256 |
| poisoning | 285 |
| post mortem, aluminium | 347 |
| potassium aluminium sulfate, | 344 |
| intoxication | |
| proadifen, blood and hair | 236 |
| procaine, adulterant | 207 |
| psilocin | 320 |
| psilocybin | 320 |
| Q | S |
| QqTOF | 344 |
| | SCDAT |
| | SenCation Blackberry, |
| | JWH-073 content |
| | serum, CTHC |
| | serum, Spice |
| | serum, Stabilität |
| | Sidolin |
| | small molecular identification |
| | smoke analysis |
| | smoke apparatus |
| | Smoke, JWH-018 content |
| | solid-phase extraction |
| | solid-phase microextraction |
| | SPE |
| | Spice |
| | Spice Arctic Synergy, |
| | JWH-018 content |
| | Spice Gold, JWH-018 content |
| | Spice Tropical Synergy, |
| | JWH-018 content |
| | STA |

| | | | |
|--|---------------|-------------------------------------|----------|
| Stabilität von THC-OH und THC-COOH | 373 | tramadol, blood and hair | 236 |
| STAS-Preisträger 2011, Laudatio | 412 | Transferrin-Isoformen, Alkohol | 427 |
| State-Marker | 421 | Transferrin-Varianten, genetische | 428 |
| Statine, Fluvastatin | 353 | trazodone, blood and hair | 236 |
| Statistik, Substanzmissbrauch | 420 | tricyclic antidepressants and | |
| structure elucidation | 244, 306 | verapamil | 347 |
| strychnine, blood and hair | 236 | 3-trifluoromethyl-phenylpiperazine | 172 |
| § 24a.II StVG | 332 | tryptamines | 169 |
| Sucht in Deutschland | 420 | TTCA, Captan metabolite | 264 |
| suicide, various pharmaceuticals | 262 | turbulent flow chromatography | 324 |
| suicide, verapamil | 347 | | |
| Supreme | 179 | U | |
| Swiss Customs | 337 | UHPLC-MS/MS | 285 |
| Swiss Guidelines | 391 | urea and creatinine correlation | 380 |
| synthetic cannabinoids | 169, 297 | urine adulteration | 378 |
| systematic toxicological analysis | 230, 262 | urine dilution | 378 |
| systematic toxicological screening | 224 | urine, EtG | 357, 361 |
| | | urine, LC-MS ⁿ screening | 229 |
| T | | | |
| temazepam, blood and hair | 236 | V | |
| Tenside, Vortest | 246 | validation, antidepressants, | |
| Δ9-tetrahydrocannabinol | 316 | benzodiazepines | 285 |
| 11-nor-9-carboxy-Δ9-tetrahydrocannabinol | 332 | validation, VALISTAT | 392 |
| Δ9-tetrahydrocannabinolic acid A | 316 | Valistat | 392 |
| tetrahydropthalimide | 262 | venlafaxine, systematic | |
| Tetrasialotransferrin, Alkohol | 427 | toxicological screening | 227 |
| TFMPP | 172, 177 | verapamil and tricyclic | |
| THC | 203, 332, 373 | antidepressants | 347 |
| THC, brain extraction | 284 | verapamil, blood and hair | 236 |
| THC, serum, IRGLFIA | 332 | verapamil, lethal intoxication | 347 |
| THCA, brain extraction | 284 | vitamin B2, urine adulterant | 379 |
| THCA-A | 316 | Volt 220 | 180 |
| THCA-B | 316 | | |
| THC-COOH and phenazepam | 305 | W | |
| THC-COOH, Stabilität in Serum | 373 | whole blood | 268 |
| THC-OH, Stabilität in Serum | 373 | WIN-48,098 | 177 |
| THPI, Captan metabolite | 264 | WIN-Reihe | 178 |
| Tochterionenspektren, Fluorcathinone | 194 | WWW, JWH-250 content | 300 |
| TOX.I.S. | 256 | | |
| toxicological analysis | 211 | X-Z | |
| toxicological screening | 324 | X-ray-spectrum, adulterant | 210 |
| Trait-Marker | 421 | zolpidem, blood and hair | 236 |
| | | zopiclone, blood spot | 271 |
| | | zopiclone, degradation | 273 |